

### ADVANCE WARNING VARIABLE MESSAGE TRAILER UNIT NZTA CoPTTM Compliant



- Maximum running time is 45 hours at full pixels before recharging is required
- Normal battery operating specifications are 3 x 12 volt Deep Cell Gel batteries
- Unit is controlled by on-board tablet with 87 pre-programmed graphic/text sequences and five favourite tabs for simple efficient use
- All panels have auto and manual light sensors for changing light conditions
- Unit stands 3.65m once fully erected
- Vehicle mount, trailer mount or unit mount options available
- 3 legged support system for stand alone option
- Vehicle can be wired with specialised plug (as supplied) to assist with charging the batteries

QUALITY TRAFFIC SIGNS & ACCESSORIES AT COMPETITIVE PRICES CONTACT US NOW FOR A QUOTATION









Telarc. Registered



## **MINI MATRIX VMS TRAILER**

### MINI MATRIX VMS TRAILER

The Mini Matrix message sign is a compact version of the full-size sign. About 30% smaller (717kg), the mini trailer is highly maneuverable and easy to use.

### FEATURES INCLUDE

- Quality USA manufacturing
- Large range of accessories including:
  - o speed radar
  - video surveillance
  - A Remote connection
  - ITS safety
- 3 lines of 8 characters
- Default font 34.2cm, 5x7 pixels per character
- Sign size 2.44 x 1.4m
- Simple to use winch
- ♦ 360° rotation of board
- Easy set up and control
- Easy maneuverability
- Batteries rechargeable by either solar power or mains power





**Mini - Travel Position** 





### Smart Switch Vehicle Activated Traffic Lights NZTA Compliant, Tested & Approved-AS4191-1994

#### FEATURES INCLUDE:

- Battery power supply with **Solar** recharging system
- Easy to use tablet application for controlling sign via Wi-Fi with range up to 100m.
- Two way lights system for temporary road work or other occupation of road.
- Wireless or cable connection between lights on both approaches.
- Green to green protection.
- Red light fail monitoring.
- All lights fail monitoring.
- Wireless Master Slave communication between two lights, up to 2000m.
- Wireless remote control for manual controlling, range up to 500m.


### **CONTROLLING THE SYSTEM:**

System can be controlled directly over interface on Master unit, remotely via wireless remote control or via tablet Traffic Light application.

System consists of three signal lights (red, yellow and green lamp), supplied with solar panels and batteries, vehicle detector, remote control and tablet with Traffic Light Console.

The Master and slave units communicate via radio on 2,4GHz. Remote control communicates with the Master via radio on 2.4GHz.

There is a Wi-Fi access point established within Master unit. It is used for the tablet to communicate with the system.





## **RADAR FEEDBACK UNIT**

11 Boeing Place, Mount Maunganui 3116 Ph: 07 575 0505 2/11 March Place, Belfast, Christchurch 8051 Ph: 03 323 7507 Email: admin@trafficsigns.co.nz www.trafficsigns.co.nz PO Box 4366, Mount Maunganui South 3149



 $2.1 \mathrm{m}$ 

## SPEED RADAR FEEDBACK UNIT FOR OPERATION IN TEMPORARY WORKZONE AREAS

Developed to provide drivers with feedback of their travelling speed throughout work zone areas.


### FEATURES INCLUDE:

- Provided with a 50 watt solar system for easy battery charging
- Tablet controlled software application via Wi Fi for easy set up and speed setting changes
- Software has a data log for unit recordings
- Three function modes with three different speed threshold settings
- 24 Mth warranty T&C apply
- Sign Size 800 x 1150
- Total Height 2.1m



# MINI MATRIX VMS UNIT

11 Boeing Place, Mount Maunganui 3116 Ph: 07 575 0505 2/11 March Place, Belfast, Christchurch 8051 Ph: 03 323 7507 Email: admin@trafficsigns.co.nz www.trafficsigns.co.nz PO Box 4366, Mount Maunganui South 3149



## MINI MATRIX VMS UNIT FOR OPERATION IN TEMPORARY WORKZONE AREAS

#### **FEATURES INCLUDE:**

- Provided with a solar system for easy battery charging
- Tablet controlled software application via WiFi for easy set up and speed setting changes
- Software has a data log for unit recordings
- Three function modes with three different speed threshold settings
- 24 Mth warranty T&C apply
- Sign Size 800 x 1150
- Total Height 2.1m

1150-

